

**1.25" Kellner Eyepiece**



Item No. VSE01  
 Barrel: 1.25"  
 Focal Length: 6mm 9mm  
 10mm 12mm 15mm 20mm  
 25mm

**Zoom Eyepiece**



Item No.: VSE14  
 Barrel: 1.25"  
 Coating: FMC  
 Focal Length: 7~21 8~24  
 Eye relief: 18~25mm 18mm  
 FOV: 35~52° 45~60°

**Super Plossl Eyepiece**



Item No.: VSE04  
 Barrel: 1.25"  
 Focal Length: 4mm 6.5mm 10mm 12.5mm 15mm 20mm 25mm 30mm  
 40mm  
 Coating: FMC fully multi-coating except 4mm 6.5mm 10mm 12.5mm  
 Field of View: 50~52 degree

**Focusing 70 degree WA eyepiece**



Item No.: VSE02  
 Size: 1.25"/20mm 2"/26mm 2"/32mm  
 Super wide angle 70 degrees, high index glasses, flexible focusing  
 Fully broadband multi-coating  
 5-elements, 3 or 4 groups  
 Blackened lens edges  
 Focusing retical glass  
 Standard illuminator adapter thread

**60~65° Wide Angle Eyepiece**



Item No.: VSE07  
 Barrel: 1.25"  
 Coating: FMC fully multi-coating  
 Focal Length: 8mm 12mm 17mm 20mm  
 Field of View: 60° 60° 65° 65°  
 Lens Structure: 4 elements 3 groups

**66° Wide Angle Eyepiece**



Item No.: VSE13  
 Barrel: 1.25"  
 Coating: FMC fully multi-coating  
 Focal Length: 6mm 9mm 15mm 20mm  
 Field of View: 66°  
 Eye relief: 16mm

**70° Wide Angle Eyepiece**



Item No.: VSE10  
 Barrel: 1.25"  
 Coating: FMC fully multi-coating  
 Focal Length: 10mm 15mm 20mm  
 Eye relief: 10mm 13mm 16mm  
 Field of View: 70°  
 Lens Structure: 5 elements 4 groups

**70° Wide Angle Eyepiece**



Item No.: VSE08  
 Barrel: 2"  
 Coating: FMC fully multi-coating  
 Focal Length: 26mm 32mm 38mm  
 Eye relief: 20mm 24mm 28mm  
 Lens Structure: 5/3 5/4 5/3 (elements/groups)  
 Field of View: 70°

**80° Ultra Wide Angle Eyepiece**



Item No.: VSE05  
 Barrel: 1.25"  
 Coating: FMC fully multi-coating  
 Focal Length: 11mm  
 Eye relief: 9mm  
 Lens Structure: 5elements 3groups  
 Field of View: 80°

Item No.: VSE03  
 Barrel: 1.25"  
 Coating: FMC fully multi-coating  
 Focal Length: 16mm  
 Eye relief: 15mm  
 Lens Structure: 6elements 3groups  
 Field of View: 80°

**80° Ultra Wide Angle Eyepiece**



Item No. VSE11  
 Barrel: 2"  
 Coating: FMC fully multi-coating  
 Focal Length: 15mm  
 Lens Structure: 5elements 3groups  
 Field of View: 80°



Item No. VSE12  
 Barrel: 2"  
 Coating: FMC fully multi-coating  
 Focal Length: 20mm  
 Lens Structure: 7elements 4groups  
 Field of View: 80°



Item No. VSE06  
 Barrel: 2"  
 Coating: FMC fully multi-coating  
 Focal Length: 30mm  
 Lens Structure: 6elements 4groups  
 Field of View: 80°

**Focal Reducer/Field Flattener+Variable T-adapter**



	<p>Item No. VSR01 F6.3 focal reducer</p> <p>Item No. VSR02 F3.3 focal reducer</p>		<p>Item No. VSR03 By work with f3.3 focal reducer the focal length can be varied from f3.3 to f5.7</p>
---	---	--	--

**1.25" Barlow Lens**



 <p>Item No. VSB01 Barrel: 1.25" Achromatic Magnification: 2X Height: 114mm</p>	 <p>Item No. VSB03 Barrel: 1.25" Achromatic Magnification: 2X Height: 65mm</p>	 <p>Item No. VSB04 Barrel: 1.25" Achromatic Magnification: 3X Height: 85mm</p>
--	---	---

**2" Barlow Lens**

**1.25" planetary eyepiece**

 <p>Item No. VSB05 Barrel: 2" ED Magnification: 2X</p>			<p>Item No. VSE22 Barrel: 1.25" Coating: FMC fully multi-coating Focal Length: 6mm 9mm Field of View: 58° Eye relief: 16mm</p>
---	--	--	--

**1.25" 90° Diagonal**

	<p>Item No. VSD01 Barrel: 1.25" Optic: Flat mirror Body: Metal</p>		<p>Item No. VSD06 Barrel: 1.25" Optic: Prism Body: Metal</p>
---	--	--	--

**2" 90° Diagonal**

 <p>Item No. VSD08 Barrel: 2" Optic: Flat Mirror Adapter: push-fit Coating: Aluminum Reflectivity: 90%</p>	 <p>Item No. VSD07 Barrel: 2" Optic: Flat Mirror Adapter: SCT port Coating: Aluminum Reflectivity: 90%</p>	 <p>Item No. VSD09 Barrel: 2" Optic: Flat Mirror Adapter: <b>push-fit</b> or <b>SCT</b> Coating: Dielectric Reflectivity: 99%</p>	 <p>Item No. VSD10 Barrel: 2" Optic: Flat Mirror Adapter: Push-fit or SCT Coating: Enhanced Aluminum Reflectivity: 95%</p>
---	---	---	---

**45° Diagonal**

 <p>Item No. VSD02 Barrel: 1.25" Optic: Prism Adapter: push-fit</p>	 <p>Item No. VSD04 Barrel: 1.25" Optic: Prism Adapter: SCT port</p>
---	--

**Color Filter**

 <p>ItemNo. VSF01 Diameter: 1.25" 12 Color : #8 #11 #12 #21 #23A #25A 38A #47 #56 #58 #80A #82A</p>	 <p>Item No. VSF02 Diameter: 2" 12 Color: #8 #11 #12 #21 #23A #25A 38A #47 #56 #58 #80A #82A</p>
--	--

**Prism Erector**

 <p>Item No.: VSER01 Barrel: 1.25" Magnification: 1.8X</p>
---

**Digital Camera Eyepiece**

	<p>Item No.: VSE15 Barrel: 1.25" Coating: fully multi-coating Adapter thread: 28mm thread on the top</p>
--	--

**2" ED eyepiece**



Item No.: VSE23  
 Size : 30mm 35mm 40mm  
 Super wide angle 68 degrees, Special exotic glass and distortion free  
 6-elements, 4 groups  
 Fully broadband multi-coating  
 All models are parfocal, Blackened lens edges  
 2" Barrel accept standard 2" filters  
 Interiors barrels with anti-reflection threads  
 Smooth twist-up eyecups , Laser engraving logo

**Mini Planetarium**

Item No.: VSPL01  
 Desktop digital mini-planetarium  
 It can display the beautiful sky in a room without light at any time and any place including remote control.  
 Total 88 constellations and 1100 stars  
 2 kinds of power solution on optional: dry batteries and 12V DC



**1.25" ED Eyepiece**



Item No.: VSE09  
 Barrel: 1.25"  
 Coating: FMC fully multi-coating  
 Focal Length: 2.3mm 3.8mm 5.2mm 7.5mm 9.5mm 12.5mm 14mm  
 18mm 21mm 25mm  
 Eye relief: 20mm  
 Lens Structure: 6 elements  
 Field of View: 50°  
 Parfocal

**Motor Driver**



Item No.: VSM01  
 Power: 12V DC  
 Axis: Dual Axis Tracking  
 Speed: 1X 2X 3X 4X





Item No.: VSM04  
 Power: 12V DC  
 Axis: RA driving  
 Speed: 1X 2X

**Tripod**

	<p>VST01 Tube diameter: 1.5" Material: steel</p>		<p>VST03 Tube diameter: 2" Material: steel</p>
---	--	--	--


**Binoviewer**

	<p>Item No.: VSV01 Barrel: 1.25" Optional accessory: 1.6X focal extender 2X focal extender Aluminum case</p>	
--	--	--

**Red Dot Finder**

	<p>Item No. VSRF01 Metal Body Light control 4 types reticle A simple dovetail bracket is included</p>		<p>Item No. VSRF03 Plastic Body Light control Winder diameter: 24mm</p>
---	---	--	---

**Mounting Bases for Metal Red Dot Finder VSRF01**

	<p>Item No. VSRF02 Universal RDF Dovetail Base for William Optics</p>
---	---

**Erecting 8\*50 illuminated straight-thru viewfinder**



Item No. VSV07  
 Size: 8\*50  
 achromatic  
 With metal bracket  
 LED illuminator  
  
 This is forbidden to Japan

**Green Laser Pointer**



Item No.: VSLP01  
 Power: 5mw 10mw 20mw  
 30mw 50mw 80mw  
 100mw 120mw  
 150mw  
 \*Dual-color red/green laser pointer is on option

**Manual Filter Wheel**



Item No.: VSF04  
 Barrel: 1.25"  
 Total 3 holders including  
 1pc planetary filter  
 1pc Nebular filter

**This is forbidden to US**

**Manual Filter Wheel(no stock)**



Item No.: VSF10  
 Barrel: 1.25"  
 Total 5 holders with standard  
 1.25" thread including 3 adapters  
 1pc 1.25" nosepiece  
 1pc M42\*0.75 Male T-thread  
 1pc 1.25" female eyepiece holder  
 all CNC machining

**This is forbidden to Europe no stock**

**Universal Digiscoping Adapter**



Item No.: VSA08  
 Eyepiece clamp:  
 28mm~45mm  
 Material: ABS, alloy  
 of aluminum

**Beam Splitter**



Item No.: VSA09  
 Barrel: 1.25"  
 Splitting Ratio: 50-50

**Laser collimator**



Item No.: VSA15  
 5mw red only for  
 newtonian reflector

**Cheshire Collimation Eyepiece**



Item No.: VSE17  
 Barrel: 1.25"  
 With rubber eyecup



## Viewshop Trading Company

Room 902, Unit 1, Building D, XinHua City JingDian,  
No.280 ChangHong Avenue, Jiujiang China 332000

Tel: 86 792 8158511 Fax: 86 792 8158522 www.viewshop.cn

### Heavy Duty EQ5 Mount



Item No.: VSM02  
Pure metal structure  
144 gears in both  
DEC and RA  
Weight: 5.4kgs

### Alt-Azimuth Mount



Item No.: VSM05  
Pure metal structure  
Easy and quick control  
Weight: 1.50kgs

### Straight-thru Viewfinder



Item No. VSV02  
Size: 8\*50 achromatic  
With metal bracket




Item No. VSV03  
Size: 8\*50 achromatic  
With metal bracket  
LED illuminated

### Illuminated Polarscope



Item No.: VSV06  
Size: 6\*20  
Applicable in northern and  
southern hemisphere



### Camera Adapter



Item No. VSA01  
Barrel: 1.25"  
Remark: standard  
M42\*0.75 thread on rear  
for lunar, planetary and  
deep-space photography



Item No. VSA05  
Barrel: 1.25"  
Remark: standard  
M42\*0.75 thread on rear  
for lunar, planetary and  
deep-space photography



Item No. VSA04  
Barrel: 1.25"  
Remark: Adjustable body  
to fit eyepiece project  
photography



Item No. VSA07  
Barrel: 2"  
Remark: Adjustable body  
to fit eyepiece project  
photography

**Photography/Video Adapter Ring**

	<p>Item No. VSA02          Digital Camera Adapter Ring          Thread : 28mm,37mm,43mm,49mm,52mm,55mm,58mm          Remark: Connect 1.25" standard eyepiece at one side to digital camera at another side with 3 pcs adjustable tight screws</p>
	<p>Item No. VSA13          T-ring for SLR camera          Total 4 types available: CANON EOS NIKON PENTAX-U MINOLTA          SONY OLYMPUS</p>
	<p>Item No. VSW01          webcam adapter          Made of black anodized aluminum M12x0.5 thread suitable for most webcams including inside standard thread for 1.25" filter. Insert into 1.25" focuser or barlow lens with 1.25" pushfit and to connect webcam at the other side.</p>
	<p>Item No. VSA14          1.25" C/CS mount adapter          Standard filter thread at rear to accept 1.25" color filter          to fix a camera on a normal eyepiece holder</p>
	<p>Item No. VSA20          1.25" C mount and one side and T-thread female at another side          It can help people with limited inward telescope focus to use filter slectors with c-mount cameras.</p>

**SCT Eyepiece Holder**



Item No.: VSA12  
 Barrel: 2":  
 with precise SCT inner thread at rear which will fit any telescope that has an SCT 2" back. An brass compression ring at the other end


**SCT Adapter**




Item No.: VSA16  
 With precise SCT outer thread at one end, at the other end is standard 2" push-fit with 2" filter thread in it

1.25" Extension Tube	
	Item No.: VSA11 Barrel: 1.25" Height: 350mm With brass compression ring
	Item No.: VSA17 Barrel: 1.25" Height: 30mm 1.25" standard filter male thread at one end and female thread at the other end.

2" to 1.25" Adapter	
	Item No.: VSA03 With brass compression ring Standard filter thread to accept 2" color filter at rear 2 types on option
	

2" Extension Tube	
	Item No.: VSA10 Barrel: 2" Height: 80mm Standard 2" threads to accept 2" filter at rear. An brass compression ring at the other end to hold 2" eyepiece or barlow.

Parabolic Mirror	
	Item No.: VSPM01 Diameter: $\Phi 254\text{mm}/10"$ Focal : f/5 1260mm Thickness: 25.4mm/1" Transparent low expanse Pyrex Glass Accuracy: 1/8 wave length Coating: SiO Protective aluminum Coating with 90% reflectivity at min.



Protective shell for astrotent	
	Item No.: VSTT02

Portable Astronomy Tent	
	Item No.: VSTT01 Bottom: octagon $\Phi 3\text{meters}$ Top(open): Round $\Phi 2\text{meters}$ Height: 1.5meters Weight: 4.5kgs


Luxurious Laserpointer bracket	
	Item No. VSLP03 Fixing onto the tube by 2 screws with well finish

Laserpointer Bracket	
	Item No. VSLP02 Dovetail base to suit most quick release finder shoe, additional pushing ring to keep the laser pointer on

**1.25" Moon Filter**

	<p>Item No. VSF03 Color : Green 20mm clear aperture 18% transmission</p>		<p>Item No. VSF05, VSF06 Color Grey 26mm clear aperture 25% light transmission 0.6 Density 13% light transmission 0.9 Density</p>
---	--	--	---

**Abbe Ortho Eyepiece**

	<p>Item No. VSE21 Barrel: 1.25" Focal Length: 4.8mm 7.7mm 10.5mm 16.8mm 24mm Eye relief: 4.2mm 6.5mm 7.2mm 15.5mm 20.5mm Field of View: 48 degree Structure: 4 elements 2 groups (1<sup>st</sup> group triplet, 2<sup>nd</sup> group single lens)</p>
---	---

**Advanced Finderscope Series (Forbidden into US)**

 <p><b>Item No. VSV04</b></p>	<p>Aperture 50mm 60mm 80mm Fully multi coating objective Rotating back 90 Angle focuser come with fully correct image erecting prism VSV04 can be converted into VSV05 by purchasing a 1.25" 90 degree focuser with fully correct image erecting prism VSV05 can be converted into VSV04 by purchasing a tube focuser 1.25" Helical focuser accept any 1.25" standard eyepiece(changeable) 60mm and 80mm VSV04 can accept 2" eyepiece Nylon head screws Full aluminum structure Bracket is included as standard accessory Eyepieces are optional Optional accessories including: 1.25" 90 degree focuser with erecting prism Tube version focuser 1.25" 24mm focusing reticle eyepiece 65 degree full multi-coated 1.25" 24mm focusing illuminated reticle eyepiece 65 degree full multi-coated</p>	
 <p><b>Item No. VSV05</b></p>		
		

**Nebular filter broadband(UHC)**



Item No.: VSF08  
With standard 1.25"  
or 2" threads on both  
ends

**Nebular filter Narrowband**




Item No.: VSF12  
With standard 1.25"  
or 2" threads on both  
ends

**LED Luminated Reticle with Eyecup**




Item No.: VSE19  
Barrel: 1.25":  
Illuminator: LED  
2 Sizes on option  
PL9 adjustable reticle  
MA12 fixed reticle



**Cable Luminated Reticle with Eyecup**



Item No.: VSE20  
Barrel: 1.25":  
Illuminator: Cable  
2 Sizes on option  
PL9 adjustable reticle  
MA12 fixed reticle



**Eyepiece Wheel**



Item No.: VSEW01  
Barrel: 1.25":  
3 Holders  
  
This is forbidden to  
US

**1.25" IR blocking filter**



Item No.: VSF07  
With standard 1.25"  
threads on both ends

**Black Padded Carrying Bag**



Item No: VSH03  
Size:53\*22\*17  
It can hold under 90mm OTA easily and give strong protect.

**2" H-alpha filter**



Item No.: VSF10  
 Barrel: 2"  
 With Standard 2"  
 Thread on both sides

**Moon & skylight filter**



Item No.: VSF09  
 Size: 2" or 1.25"  
 With standard 1.25" or 2"  
 threads on both ends

**Alt-azimuth GOTO mount**



Item No.: VSGT04  
 4-Line big Liquid Crystal Display (LCD)  
 Dual DC Servo Motors with integrated optical encoders  
 Dual 5 Speeds 2x 16X 64X 256X MAX  
 Auto tracking celestial object  
 Auto swift in northern or southern hemispheres  
 Dual 4balls bearing  
 42mm dovetail base  
 # 8403 GOTOSTARTM controlling kit  
 4000+ Object Database  
 Loading limit 3kg  
 1" adjustable stainless steel tripod

**M42\*0.75 spacer**



Item No.: VSA19  
 Height:3mm 6mm10mm20mm 40mm  
 Standard M42\*0.75 threads on both side

**LED headlight**



Item No.: VSH01  
 2 white LED lights on sides and 1  
 red LED light in middle. You can  
 switch between Red and White.

**1.25" 0.5x focal reducer with C mount**



Item No.: VSR04  
 Doublet with multi-fully coating and C thread

**1.25" 0.5X focal reducer**



Item No.: VSR04  
 Doublet with multi-fully coating and standard 1.25" threads on both ends

**Universal Dovetail Platform**




Item No. VSDP01  
 This Female part can accept nearly all OTAs and allow you to put it onto any support you like



Item No.:VSDP02  
 This Male part has to work with female part together which can enable cameras or binoculars to stand on EQ mount.

**2" to M42\*0.75 adapter**



Item No.: VSA18  
 Barrel: 2"  
 Height: 75mm  
 Standard 2" push-fit on one end and M42\*0.75 T thread on another end

**1.25" LRGB filters**



Item No.: VSF11  
 RGB filters: Including IR blocking built-in  
 L Filter: UV-IR cutting  
 With standard 1.25" threads on both ends

**2" Crayford Focuser**



Item No.: VSCF01  
 Barrel: 2"  
 Adapter: SCT, Newtonian, Refractor

**10:1 Crayford Focuser**



Item No.: VSCF02  
 Barrel: 2"  
 Adapter: Refractor

**Foldaway Constellation Umbrella**



Item No.:  
VSU01

**2" erecting prism diagonal**



Item No.: VSD03  
Barrel: 2"  
Highly praised OEM product

**OIII filter**



Item No.: VSF13  
With standard 1.25" or 2" threads on both ends

**H-Beta filter**



Item No.: VSF14  
With standard 1.25" or 2" threads on both ends

Issued on July 12, 2010