

1.25" Kellner Eyepiece



Item No. VSE01
 Barrel: 1.25"
 Focal Length: 6mm 9mm
 10mm 12mm 15mm 20mm
 25mm

Zoom Eyepiece



Item No.: VSE14
 Barrel: 1.25"
 Coating: FMC
 Focal Length: 7~21 8~24
 Eye relief: 18~25mm 18mm
 FOV: 35~52 ° 45~60 °

Super Plossl Eyepiece



Item No.: VSE04
 Barrel: 1.25"
 Focal Length: 4mm 6.5mm 10mm 12.5mm 15mm 20mm 25mm 30mm 40mm
 Coating: FMC fully multi-coating
 Field of View: 50~52 degree

Focusing 70 degree WA eyepiece



Item No.: VSE02
 Size: 1.25"/23mm 2"/26mm 2.5"/32mm
 Super wide angle 70 degrees, high index glasses, flexible focusing
 Fully broadband multi-coating
 5-elements, 3 or 4 groups
 Blackened lens edges
 Focusing retical glass
 Standard illuminator adapter thread

60~65 ° Wide Angle Eyepiece



Item No.: VSE07
 Barrel: 1.25"
 Coating: FMC fully multi-coating
 Focal Length: 8mm 12mm 17mm 20mm
 Field of View: 60 ° 60 ° 65 ° 65 °
 Lens Structure: 4 elements 3 groups

66 ° Wide Angle Eyepiece



Item No.: VSE13
 Barrel: 1.25"
 Coating: FMC fully multi-coating
 Focal Length: 6mm 9mm 15mm 20mm
 Field of View: 66 °
 Eye relief: 16mm

70 ° Wide Angle Eyepiece



Item No.: VSE10
 Barrel: 1.25"
 Coating: FMC fully multi-coating
 Focal Length: 10mm 15mm 20mm
 Eye relief: 10mm 13mm 16mm
 Field of View: 70 °
 Lens Structure: 5 elements 4 groups

70 ° Wide Angle Eyepiece



Item No.: VSE08
 Barrel: 2"
 Coating: FMC fully multi-coating
 Focal Length: 26mm 32mm 38mm
 Eye relief: 20mm 24mm 28mm
 Lens Structure: 5/3 5/4 5/3 (elements/groups)
 Field of View: 70 °

80 ° Ultra Wide Angle Eyepiece



Item No.: VSE05
 Barrel: 1.25"
 Coating: FMC fully multi-coating
 Focal Length: 11mm
 Eye relief: 9mm
 Lens Structure: 5elements 3groups
 Field of View: 80 °

Item No.: VSE03
 Barrel: 1.25"
 Coating: FMC fully multi-coating
 Focal Length: 16mm
 Eye relief: 15mm
 Lens Structure: 6elements 3groups
 Field of View: 80 °

80 ° Ultra Wide Angle Eyepiece



Item No. VSE11
 Barrel: 2"
 Coating: FMC fully multi-coating
 Focal Length: 15mm
 Lens Structure: 5elements 3groups
 Field of View: 80 °



Item No. VSE12
 Barrel: 2"
 Coating: FMC fully multi-coating
 Focal Length: 20mm
 Lens Structure: 7elements 4groups
 Field of View: 80 °



Item No. VSE06
 Barrel: 2"
 Coating: FMC fully multi-coating
 Focal Length: 30mm
 Lens Structure: 6elements 4groups
 Field of View: 80 °

Focal Reducer/Field Flattener+Variable T-adapter

	<p>Item No. VSR01 F6.3 focal reducer</p> <p>Item No. VSR02 F3.3 focal reducer</p>		<p>Item No. VSR03 By work with f3.3 focal reducer the focal length can be varied from f3.3 to f5.7</p>
---	---	--	--

1.25" Achromatic Barlow Lens



 <p>Item No. VSB01 Barrel: 1.25" Achromatic Magnification: 2X Height: 114mm</p>	 <p>Item No. VSB03 Barrel: 1.25" Achromatic Magnification: 2X Height: 65mm</p>	 <p>Item No. VSB04 Barrel: 1.25" Achromatic Magnification: 3X Height: 85mm</p>
---	--	--

2" Barlow Lens

1.25" planetary eyepiece

 <p>Item No. VSB05 Barrel: 2" ED Magnification: 2X</p>			<p>Item No. VSE22 Barrel: 1.25" Coating: FMC fully multi-coating Focal Length: 2.5mm 3.2mm 4mm 4.5mm 5mm 6mm 9mm Field of View: 58 ° Eye relief: 16mm</p>
---	--	--	---

1.25" 90 ° Diagonal

	<p>Item No. VSD01 Barrel: 1.25" Optic: Flat mirror Body: Metal</p>		<p>Item No. VSD06 Barrel: 1.25" Optic: Prism Body: Metal</p>
---	--	--	--

2" 90 ° Diagonal

 <p>Item No. VSD08 Barrel: 2" Optic: Flat Mirror Adapter: push-fit Coating: Aluminum Reflectivity: 90%</p>	 <p>Item No. VSD07 Barrel: 2" Optic: Flat Mirror Adapter: SCT port Coating: Aluminum Reflectivity: 90%</p>	 <p>Item No. VSD09 Barrel: 2" Optic: Flat Mirror Adapter: push-fit or SCT Coating: Dielectric Reflectivity: 99%</p>	 <p>Item No. VSD10 Barrel: 2" Optic: Flat Mirror Adapter: Push-fit or SCT Coating: Enhanced Aluminum Reflectivity: 95%</p>
---	---	---	---

45 ° Diagonal

 <p>Item No. VSD02 Barrel: 1.25" Optic: Prism Adapter: push-fit</p>		 <p>Item No. VSD04 Barrel: 1.25" Optic: Prism Adapter: SCT port</p>	
---	--	--	--

Color Filter

 <p>ItemNo. VSF01 Diameter: 1.25" 12 Color : #8 #11 #12 #21 #23A #25A 38A #47 #56 #58 #80A #82A</p>		 <p>Item No. VSF02 Diameter: 2" 12 Color: #8 #11 #12 #21 #23A #25A 38A #47 #56 #58 #80A #82A</p>	
--	--	--	--

Prism Erector For Reflector

 <p>Item No.: VSER01 Barrel: 1.25" Magnification: 1.8X For reflector</p>	
---	--

Digital Camera Eyepiece

 <p>Item No.: VSE15 Barrel: 1.25" Coating: fully multi- coating Adapter thread: 28mm thread on the top</p>	
--	--

2" ED eyepiece



Item No.: VSE23
 Size : 30mm 35mm 40mm
 Super wide angle 68 degrees, Special exotic glass and distortion free
 6-elements, 4 groups
 Fully broadband multi-coating
 All models are parfocal, Blackened lens edges
 2" Barrel accept standard 2" filters
 Interiors barrels with anti-reflection threads
 Smooth twist-up eyecups , Laser engraving logo

Mini Planetarium

Item No.: VSPL01
 Desktop digital mini-planetarium
 It can display the beautiful sky in a room without light at any time and any place including remote control.
 Total 88 constellations and 1100 stars
 2 kinds of power solution on optional: dry batteries and 12V DC



1.25" ED Eyepiece



Item No.: VSE09
 Barrel: 1.25"
 Coating: FMC fully multi-coating
 Focal Length: 9.5mm 12.5mm 14mm 18mm 21mm
 Eye relief: 20mm
 Lens Structure: 6 elements
 Field of View: 50 °
 Parfocal

Motor Driver



Item No.: VSM01
 Power: 12V DC
 Axis: Dual Axis Tracking
 Speed: 1X 2X 3X 4X





Item No.: VSM04
 Power: 12V DC
 Axis: RA driving
 Speed: 1X 2X

Tripod

	<p>VST01 Tube diameter: 1.5" Material: steel</p>		<p>VST03 Tube diameter: 2" Material: steel</p>
---	--	--	--


Binoviewer

	<p>Item No.: VSV01 Barrel: 1.25" Optional accessory: 1.6X focal extender 2X focal extender Aluminum case</p>	
--	--	--

Red Dot Finder


	<p>Item No. VSRF01 Metal Body Light control 4 types reticle A simple dovetail bracket is included</p>		<p>Item No. VSRF03 Plastic Body Light control Winder diameter: 24mm</p>
---	---	--	---

Mounting Bases for Metal Red Dot Finder VSRF01

	<p>Item No. VSRF02 Universal RDF Dovetail Base for William Optics</p>
---	---

Erecting 8*50 illuminated straight-thru viewfinder	
	<p>Item No. VSV07 Size: 8*50 achromatic With metal bracket LED illuminator</p> <p style="color: red;">This is forbidden to Japan</p>

Green Laser Pointer	
	<p>Item No.: VSLP01 Power: 5mw 10mw 20mw 30mw 50mw 80mw 100mw 120mw 150mw</p> <p style="color: red;">*Dual-color red/green laser pointer is on option</p>

Manual Filter Wheel	
	<p>Item No.: VSF04 Barrel: 1.25" Total 3 holders including 1pc planetary filter 1pc Nebular filter</p>

Manual Filter Wheel(no stock)	
	<p>Item No.: VSF16 Barrel: 1.25" Total 5 holders with standard 1.25" thread including 3 adapters 1pc 1.25" nosepiece 1pc M42*0.75 Male T-thread 1pc 1.25" female eyepiece holder all CNC machining</p>

Long Cheshire Collimator	
	<p>Item No.: VSE17 Barrel: 1.25" For collimate light axis of reflector and Maksutov-Cassegrain</p>

Beam Splitter	
	<p>Item No.: VSA09 Barrel: 1.25" Splitting Ratio: 50-50</p>

Laser collimator	
	<p>Item No.: VSA15 5mw red only for newtonian reflector</p>

Cheshire Collimation Eyepiece	
	<p>Item No.: VSE17 Barrel: 1.25" With rubber eyecup</p>

Heavy Duty EQ5 Mount



Item No.: VSM02
 Pure metal structure
 144 gears in both
 DEC and RA
 Weight: 5.4kgs

**Traditional.
 Alt-Azimuth Mount**



Item No.: VSM05
 Pure metal structure
 Easy and quick control
 Weight: 1.50kgs

Straight-thru Viewfinder



Item No. VSV02
 Size: 8*50 achromatic
 With metal bracket




Item No. VSV03
 Size: 8*50 achromatic
 With metal bracket
 LED illuminated

Illuminated Polarscope



Item No.: VSV06
 Size: 6*20
 Applicable in northern and
 southern hemisphere



Camera Adapter



Item No. VSA01
 Barrel: 1.25"
 Remark: standard
 M42*0.75 thread on rear
 for lunar , planetary and
 deep-space photography



Item No. VSA05
 Barrel: 1.25"
 Remark: standard
 M42*0.75 thread on rear
 for lunar , planetary and
 deep-space photography



Item No. VSA04
 Barrel: 1.25"
 Remark: Adjustable body
 to fit eyepiece project
 photography



Item No. VSA07
 Barrel: 2"
 Remark: Adjustable body
 to fit eyepiece project
 photography

Photography/Video Adapter Ring

	<p>Item No. VSA02 Digital Camera Adapter Ring Thread : 28mm,37mm,43mm,49mm,52mm,55mm,58mm Remark: Connect 1.25" standard eyepiece at one side to digital camera at another side with 3 pcs adjustable tight screws</p>
	<p>Item No. VSA13 T-ring for SLR camera Total 4 types available: CANON EOS NIKON PENTAX-U MINOLTA SONY OLYMPUS</p>
	<p>Item No. VSW01 webcam adapter Made of black anodized aluminum M12x0.5 thread suitable for most webcams including inside standard thread for 1.25" filter. Insert into 1.25" focuser or barlow lens with 1.25" pushfit and to connect webcam at the other side.</p>
	<p>Item No. VSA14 1.25" C/CS mount adapter Standard filter thread at rear to accept 1.25" color filter to fix a camera on a normal eyepiece holder</p>
	<p>Item No. VSA20 1.25" C mount and one side and T-thread female at another side It can help people with limited inward telescope focus to use filter selectors with c-mount cameras.</p>

SCT Eyepiece Holder


	<p>Item No.: VSA12 Barrel: 2": with precise SCT inner thread at rear which will fit any telescope that has an SCT 2" back. An brass compression ring at the other end</p>
---	---

SCT Adapter

	<p>Item No.: VSA16 With precise SCT outer thread at one end, at the other end is standard 2" push-fit with 2" filter thread in it</p>
--	--

1.25" Extension Tube	
	Item No.: VSA11 Barrel: 1.25" Height: 350mm With brass compression ring
	Item No.: VSA17 Barrel: 1.25" Height: 30mm 1.25" standard filter male thread at one end and female thread at the other end.

2" to 1.25" Adapter	
	Item No.: VSA03 With brass compression ring Standard filter thread to accept 2" color filter at rear 2 types on option
	

2" Extension Tube 45mm	
	Item No.: VSA10 Barrel: 2" Effective Height: 45mm Standard 2" threads to accept 2" filter at rear. An brass compression ring at the other end to hold 2" eyepiece or barlow.

1.25" micro-focuser	
	Item No.: VSCF03 Accuracy: 0.1mm Telescope side: M36 Eyepiece side: M42 Various adapters on optional including M42 to M36, M48 to M36, compact M42/M48 to M36


Protective shell for astrotent	
	Item No.: VSTT02

Portable Astronomy Tent	
	Item No.: VSTT01 Bottom: octagon Ø3meters Top(open): Round Ø 2meters Height: 1.5meters Weight: 4.5kgs


Luxurious Laserpointer bracket	
	Item No. VSLP03 Fixing onto the tube by 2 screws with well finish

Laserpointer Bracket	
	Item No. VSLP02 Dovetail base to suit most quick release finder shoe, additional pushing ring to keep the laser pointer on

1.25" Moon Filter

	<p>Item No. VSF03 Color : Green 20mm clear aperture 18% transmission</p>		<p>Item No. VSF05, VSF06 Color Grey 26mm clear aperture 25% light transmission 0.6 Density 13% light transmission 0.9 Density</p>
---	--	--	---


Abbe Ortho Eyepiece

	<p>Item No. VSE21 Barrel: 1.25" Focal Length: 4.8mm 7.7mm 10.5mm 16.8mm 24mm Eye relief: 4.2mm 6.5mm 7.2mm 15.5mm 20.5mm Field of View: 48 degree Structure: 4 elements 2 groups (1st group triplet, 2nd group single lens)</p>
---	---

Advanced Finderscope Series (Forbidden into US)

 <p>Item No. VSV04</p>	<p>Aperture 50mm 60mm 80mm Fully multi coating objective Rotating back 90 Angle focuser come with fully correct image erecting prism VSV04 can be converted into VSV05 by purchasing a 1.25" 90 degree focuser with fully correct image erecting prism VSV05 can be converted into VSV04 by purchasing a tube focuser 1.25" Helical focuser accept any 1.25" standard eyepiece(changeable) 60mm and 80mm VSV04 can accept 2" eyepiece Nylon head screws Full aluminum structure Bracket is included as standard accessory Eyepieces are optional Optional accessories including: 1.25" 90 degree focuser with erecting prism Tube version focuser 1.25" 24mm focusing reticle eyepiece 65 degree full multi-coated 1.25" 24mm focusing illuminated reticle eyepiece 65 degree full multi-coated</p>	
 <p>Item No. VSV05</p>		
		

Nebular filter broadband(UHC)



Item No.: VSF08
With standard 1.25"
or 2" threads on both
ends

Nebular filter Narrowband



Item No.: VSF12
With standard 1.25"
or 2" threads on both
ends

LED Luminated Reticle with Eyecup



Item No.: VSE19
Barrel: 1.25":
Illuminator: LED
2 Sizes on option
PL9 adjustable reticle
MA12 fixed reticle



LED illuminator



Item No.: VSI01
Thread : M8*0.75



Eyepiece Wheel



Item No.: VSEW01
Barrel: 1.25":
3 Holders

This is forbidden to
US

1.25" IR blocking filter



Item No.: VSF07
With standard 1.25"
threads on both ends

2" H-alpha filter



Item No.: VSF10
Barrel: 2"
With Standard 2"
Thread on both sides

Moon & skylight filter



Item No.: VSF09
Size: 2" or 1.25"
With standard 1.25" or 2"
threads on both ends

Black Padded Carrying Bag



Item No: VSH03
 Size:53*22*17
 It can hold under 90mm OTA easily and give strong protect.

Advanced Alt-azimuth mount



Item No.: VSM03
 5kgs loading
 1.75" steel tripod is on optional



Item No.: VSM07
 Heavy duty Dual
 Alt-azimuth mount, each side can load 20-30kgs at least

M42*0.75 spacer



Item No.: VSA19
 Height:3mm 6mm10mm20mm 40mm
 Standard M42*0.75 threads on both side

LED headlight



Item No.: VSH01
 2 white LED lights on sides and 1 red LED light in middle. You can switch between Red and White.

1.25" 0.5x focal reducer with C mount



Item No.: VSR04
 Doublet with multi-fully coating and C thread

1.25" 0.5X focal reducer



Item No.: VSR04
 Doublet with multi-fully coating and standard 1.25" threads on both ends

Universal Dovetail Platform



Item No. VSDP01
 This Female part can accept nearly all OTAs and allow you to put it onto any support you like



Item No.:VSDP02
 This Male part dovetail can work with female part together which can enable cameras/binoculars/telescope OTA to stand on EQ mount.
 Two sizes on option, 70mm/120mm length

2" to M42*0.75 adapter(long version)



Item No.: VSA18
 Barrel: 2"
 Height: 75mm
 Standard 2" push-fit on one end and M42*0.75 T thread on another end

1.25" LRGB filters



Item No.: VSF11
 RGB filters: Including IR blocking built-in
 L Filter: UV-IR cutting
 With standard 1.25" threads on both ends

2" Crayford Focuser



Item No.: VSCF01
 Barrel: 2"
 Adapter: SCT,
 Newtonian,
 Refractor

10:1 Crayford Focuser



Item No.: VSCF02
 Barrel: 2"
 Adapter: Refractor

Foldaway Constellation Umbrella		2'' erecting prism diagonal	
	Item No.: VSU01		Item No.: VSD03 Barrel: 2'' Highly praised OEM product
OIII filter		H-Beta filter	
	Item No.: VSF13 With standard 1.25'' or 2'' threads on both ends		Item No.: VSF14 With standard 1.25'' or 2'' threads on both ends
ND96 moon filter		M42*0.75 male to 1.25'' push fit	
	Item No.: VSF15 With standard 2'' threads on both ends		Item No.: VSA21 With 1.25'' Barrel on one side and M42 thread on other side
2'' filter slider		M42*0.75 male to 2'' push-fit(short version)	
	Item No.: VSA23		Item No.: VSA22 With 2'' Barrel on one side and M42 thread on other side
Heavy Duty Mounting Ring Set		Typical Mounting Ring Set	
	Item No.: VSDP03 Inner Diameter 97mm		Item No. VSDP04 Inner Diameter: 120mm

2" 100 degree waterproof eyepiece	
	<p>Item No.: VSE16 2" barrel, 9mm 14mm 20mm</p>
Finderscope Bracket	
	<p>Item No: VSDP05 Inner Diameter: 60mm</p>
Upgrade Off-Axis Guider	
	<p>Item No.VSGD01 Telescope side M48 plus 2" pushfit Camera Side M48 Guiding side plus micro-focuser with M42 thread and 1.25"eyepiece holder</p>
Super Achromatic Barlow	
	<p>Item No.: VSB02 VSB06 VSB07 Size: 1.25" Magnification: 2X 3X 5X Item No. VSB07 Size:2" Magnification: 2X</p>
Finderscope shoe for bracket	
	<p>Item No.: VSDP06 Suit for Celestron, skywatcher etc.</p>
12V DC Hairdrier(Dew dryer)	
	<p>Item No. VSH02 Cable 1.5 meter</p>